


AMENDMENTS TO THE CLAIMS


1. (Original) A fungicidal mixture, comprising, as active components

1) the triazolopyrimidine derivative of the formula I



and

2) dithianon of the formula II,



in a synergistically effective amount.

2. (Original) A fungicidal mixture, comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.

3. (Original) A fungicidal composition, comprising a liquid or solid carrier and a mixture as claimed in claim 1 or 2.

4. (Original) A method for controlling harmful fungi from the class of the *Oomycetes*, which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the compound I and the compound II as set forth in claim 1.

5. (Original) A method as claimed in claim 4, wherein the compounds I and II as set forth in claim 1 are applied simultaneously, that is jointly or separately, or in succession.

6. (Original) A method as claimed in claim 4, wherein the mixture as claimed in claim 1 or 2 is applied to the soil or the plants to be protected against fungal attack in an amount of from 5 g/ha to 2 000 g/ha.


7. (Original) A method as claimed in claim 4 or 5, wherein the mixture as claimed in claim 1 or 2 is applied in an amount of from 0.001 to 1 g/kg of seed.

8. (Previously Presented) A method as claimed in claim 4, wherein the harmful fungus *Plasmopara viticola* is controlled.

9. (Original) Seed, comprising the mixture as claimed in claim 1 or 2 in an amount of from 0.001 to 1 g/kg.


10. (Currently Amended) ~~The use of the compound I and the compound II as set forth in claim 1 for preparing a composition suitable for controlling *Oomycetes*~~ A process for preparing a composition suitable for controlling *Oomycetes* comprising:
mixing a fungicidal mixture, comprising, as active components

1) the triazolopyrimidine derivative of the formula I



and

2) dithianon of the formula II,



II

in a synergistically effective amount with a solid or liquid carrier.